Toxicology, 53 (1988) 371–373
Elsevier Scientific Publishers Ireland Ltd.

TOXICOLOGY

CONTENTS

Volume 53 (1988)

Generation of hypophosphatemia in rats by continuous oral administration of cadium **(Cadmium exposure produces secondary hyperparathyroidism)**
by M. Ando, S. Matsui, H. Jinno, Y. Sayato and M. Takeda (Tokyo and Osaka, Japan) 1–10

Induction of lipid peroxidation in tissues of thallous malonate-treated hamster **(Thallium reduce non-protein sulphydryls in liver and kidney and decreased the activity of glutathione peroxidase)**
by H. Aoyama, M. Yoshida and Y. Yamamura (Kawasaki, Japan) 11–18

Elevated plasma corticosterone levels and histopathology of the adrenals and thymuses in 2,3,7,8-tetrachlorodibenzo-*p*-dioxin-treated rats **(The question is addressed whether in starving animals thymus histology and plasma corticosterone could be indicators of TCDD toxicity)**
by J.R. Gorski, G. Muzi, L.W. Weber, D.W. Pereira, M.J. Iatropoulos and K. Rozman (Kansas City, KS, Neuherberg, FRG and Pearl River, NY) 19–32

Metabolism of 2- and 3-*tert*-butyl-4-hydroxyanisole in the rat (III): Metabolites in the urine and feces **(Metabolite profiles are given)**
by M. Hirose, A. Hagiwara, K. Inoue, N. Ito, H. Kaneko, K. Saito, H. Matsunaga, N. Isobe, A. Yoshitake and J. Miyamoto (Nagoya and Hyogo, Japan) 33–43

Non-lethal hyperoxic potentiation of lung disease in the rat following subcutaneous administration of bleomycin **(Pulmonary toxicity following systemic bleomycin administration is enhanced by hyperoxia)**
by D.B. Coursin and H.P. Cihla (Madison, WI) 45–55

Residual hematopoietic effect in mice exposed to ochratoxin A prior to irradiation **(Whole body irradiation of ochratoxin A pretreated mice unmasks otherwise unnoticed damage to the bone marrow)**
by H.H.L. Hong, C.W. Jameson and G.A. Boorman (Research Triangle Park, NC) 57–67

Metal-induced alteration of the cell membrane/cytoplasm complex studied by flow cytometry and detergent lysis **(Increased resistance against lysis is probably due to protein denaturation by the metal compounds)**
by R.M. Zucker, K.H. Elstein, R.E. Easterling and E.J. Massaro (Research Triangle Park, NC) 69–78

Multiple estrogenic action of *O,P'*-DDT: initiation and maintenance of pregnancy in the rat **(Data presented suggest that *D,P'*-DDT can act as an estrogen with genomic and non-genomic actions)**
by D.C. Johnson, H. Kogo, M. Sen and S.K. Dey (Kansas City, KS) 79–87

Comparison of the toxicity of orally administered L-triiodothyronine (T_3) in rat and cynomolgus monkey **(Thyroid hormone causes a number of clinico-chemical changes and elicits histological lesions especially in the kidney of rats)**
by C.K. Atterwill, S. Kennedy, C.A. Jones, D.M. Lee, S. Davies and A. Poole (Herts, UK) 89–105

Examination of the interaction of decis and dithane in rats **(Combination toxicology of different pesticides has been studied)**
by J. Szépvölgyi, K. Nagy, M. Bedó, A. Regöly-Mérei, M. Szerletics, K. Soós and M. Antal (Budapest, Hungary) 107–111

Synergistic interaction of ozone and respirable aerosols on rat lungs. IV. protection by quenchers of reactive oxygen species **(Hydrogen peroxide may be involved in ozone-induced lung damage)**
by D.L. Warren, D.M. Hyde and J.A. Last (Davis, CA) 113–133

Dependence on chelating agent properties of nephrotoxicity and testicular damage in male mice during cadmium decorporation **(Cd-complexes which are preferentially excreted in the bile cause little or no nephrotoxicity)**
by S.G. Jones, M.A. Holscher, M.A. Basinger and M.M. Jones (Nashville, TN) 135–146
Structure-activity relationships for osteolathyrism: II. Effects of alkyl-substituted acid hydrazides **(Embryo mortality and malformations correlate with lipophilicity)**
by T.W. Schultz and T.S. Ranney (Knoxville, TN) 147–159

Review Paper
Temperature regulation in laboratory mammals following acute toxic insult
by C.J. Gordon, F.S. Mohler, W.P. Watkinson and A.H. Rezvani (Research Triangle Park and Chapel Hill, NC) 161–178

Research Papers
In vitro and in vivo evaluation of the genotoxic potential of 2-ethyl-1,3-hexanediol **(No evidence for genotoxicity was found)**
by R.S. Slesinski, P.J. Guzzie, D.L. Putman and B. Ballantyne (Bethesda, MD and Danbury, CT) 179–198
Anthralin, a non-phorbol tumor promoter, fails to inhibit metabolic cooperation in mutant human fibroblasts, but inhibits phytohemagglutinin-induced lymphocyte blastogenesis in vitro **(Anthraline in vitro toxicity to lymphocytes does not appear to be mediated by interactions with SH groups)**
by E.C.C. Si, R.W. Pfeifer and G.K.W. Yim (West Lafayette, IN) 199–212
Inhibition of halothane-induced lipid peroxidation by misoprostol without hepatoprotection **(In a multiple hepatotoxin model system misoprostol affects some parameters in rats but does not abolish halothane toxicity)**
by C.-P. Siegers, B. Heger, G. Baretton and M. Younes (Lübeck, FRG) 213–218
The reversibility of nitrobenzene-induced testicular toxicity: continuous monitoring of sperm output from vasocystotomized rats **(Cell types younger than pachytene stage are protected from nitrobenzene toxicity and pachytene spermatocytes and step 1–2 spermatides are the most sensitive)**
by A.A. Levin, T. Bosakowski, L.L. Earle and B.E. Butterworth (Research Triangle Park, NC and Nutley, NJ) 219–230
Involvement of cardiac metallothionein in prevention of adriamycin induced lipid peroxidation in the heart **(Pretreatment of mice with Zn, Bi, Co, Cd or Hg mitigates adriamycin cardiotoxicity and survival after adriamycin is correlated to methallothionein levels in the heart)**
by M. Satoh, A. Naganuma and N. Imura (Tokyo, Japan) 231–237
Induction of cytochrome *P*-450, cytochrome *b*-5, NADPH-cytochrome *c* reductase and change of cytochrome *P*-450 isozymes with long-term trichloroethylene treatment **(Patterns of microsomal enzyme induction in rat liver by TCE resemble those of phenobarbital)**
by T. Kawamoto, T. Hobara, K. Nakamura, A. Imamura, K. Ogino, H. Kobayashi, S. Iwamoto and T. Sakai (Ube, Japan) 239–249
A carcinogenesis reversibility study of the effects of butylated hydroxyanisole on the forestomach and urinary bladder in male Fischer 344 rats **(Lesions induced in rat forestomach by 2% BHT in the diet are unlikely to be relevent to humans exposed to much lower levels of BHA)**
by E.A. Nera, F. Iverson, E. Lok, C.L. Armstrong, K. Karpinski and D.B. Clayson (Ottawa, Canada) 251–268
Effects of lead on sialic acid content and survival of rat erythrocytes **(Lead exposure decreased sialic acid content of red blood cell membranes and shortened survival)**
by K. Terayama and M. Muratsugu (Hokkaido, Japan) 269–276
Comparative mobilization of lead by chelating agents **(Compounds which contain vicinal dithiol groups cause impressive reductions of lead levels in various organs and tissues)**
by Z.-F. Xu and M.M. Jones (Shenyang, People's Republic of China and Nashville, TN) 277–288
Induction of rat liver microsomal cytochrome *P*-450 isozymes and epoxide hydrolase by a series of 4′-substituted-2,3,4,5-tetrachlorobiphenyls **(The importance of the substituent in enzyme induction is discussed)**
by A. Parkinson, P.E. Thomas, D.E. Ryan, W. Levin, T. Fujita and S. Safe (Kansas City, KS, Nutley, NJ, Kyoto, Japan and College Station, TX) 289–300

Dermal carcinogenic activity of petroleum-derived middle distillate fuels **(The tumorigenic potential of middle distillates is characterized by low tumor yield, long latencies and is not related directly to polycyclic aromatic hydrocarbon content)**
by R.W. Biles, R.H. Mckee, S.C. Lewis, R.A. Scala and L.R. DePass (East Millstone, NJ and Export PA).. 301–314
Lead neurotoxicity: a role for dopamine receptors **(Lead exposure of male rats leads to slight alterations in dopamine receptor ligand binding)**
by R.M. Moresco, R. Dall'Olio, O. Gandolfi, S. Govoni, D. Di Giovine and M. Trabucchi (Milan and Rome, Italy) 315–322
Increased levels of hepatic metallothionein in rat and mouse after injection of acetaminophen **(Male mice are more susceptible to the metallothionein-increasing effect than male rats)**
by U. Wormser and D. Calp (Jerusalem, Israel) 323–329
Treatment of experimental silicosis with antifibrotic agents **(Silicotic hamsters are refractory to treatment with beta-amino-propionitrile and *cis*-4-hydroxy-L-proline)**
by L.S. Geismar, J.S. Kerr, R.L. Trelstad and D.J. Riley (New Brunswick, NJ) 331–344
Combined toxicity of ethanol and methylmercury in rat **(An additive effect of ethanol on Hg-induced kidney pathology was found)**
by S.I. McNeil, M.K. Bhatnagar and C.J. Turner (Ontario, Canada) 345–363
Subject Index Volume 53 365–368
Author Index Volume 53 369–370
Volume Contents Volume 53 371–373